

2-PART WALL BOXES

6U, 9U, 12U, 15U, 18U & 21U 600MM WALL BOXES

PRODUCT OVERVIEW

Features



Quick release front door with inset acrylic panel can be hinged left or right

Fully removable vented side panels fitted with latch located on inside

Front box with lift & drop hinge with cam lock to secure to rear box, can be hinged either side

Rear wall box 100mm deep with 4 mounting points, can be mounted on its own before adding front section & door

Fitted with 1 set of fully adjustable 19" profiles at front, 1 fixed set at rear



Removable gland plate for cable access in the top & bottom of rear box

Cabinet supplied powder coated in Black texture or Goose grey

Specifications



6U x 500 (400/100)
Width: 602mm
Height: 353mm
Depth: 500mm



9U x 500 (400/100)
Width: 602mm
Height: 487mm
Depth: 500mm



12U x 500 (400/100)
Width: 602mm
Height: 620mm
Depth: 500mm



15U x 500 (400/100)
Width: 602mm
Height: 753mm
Depth: 500mm



18U x 500 (400/100)
Width: 602mm
Height: 887mm
Depth: 500mm



21U x 500 (400/100)
Width: 602mm
Height: 1020mm
Depth: 500mm

Other sizes available upon request

Conforms to the following standards:

- IEC 297-2
- DIN 41494-7
- DIN 41491-1
- BS 5850/3192

Accessories

Modem shelves



1U/190



1U/300



2U/300



2U/400

19" Fan chassis



19" 2 way



19" 3 way

19" Power Distribution Unit



19" 4 way



19" 6 way

Earthing kit



Cage nut kit



