



Distribution


RACK AIR FLOW CONTROL

Application

EZIBLANK® 6RU Blanking Panel is a well received innovative Data Centre product that is made of the highest quality of flame retardant ABS plastic.

Moulded with precisely engineered clips, EZIBLANK® Blanking Panel can be installed easily onto square mounting holes of any EIA-310-D compliant 19" server rack to prevent recirculation of hot exhaust air within server racks.

The snappable feature of the EZIBLANK® 6RU Blanking Panels makes it the perfect server rack accessory for Data Centre operators where separated panels can be installed and reused onto different RU heights of unused space.



EziBlank® 6U Blanking Panel Sheets are available in three colours: Black, Grey or White.


PRODUCT OVERVIEW



Features

- Snap-on, Tool-Free Mounting designed for ease-of-use and rapid deployment.
- Robust, flame retardant ABS plastic panel that meets the most demanding requirement.
- Patent Snappable Design offers greater flexibility when applying on different sizes of RU height.
- Scratch Resistance Textured Surface that offers both aesthetic appearance and industrial durability.
- Recyclable Lightweight Plastic that is both durable and environmentally friendly.

Dimensions



: -	Prince Punding ARI EZBILANK ® restruction on service indicated in contract of the contract of		45mm
: -	Priest Printing ARD EZIBLANK ® particulation, in your bill including and a		
: -	Patent Proving ASS ASS EZIDLANK ® numberou.nt system biotechnic notices		
: -	Prison Francis AND AND EZENLANK ® representation of the second se	:	
: -	Police! Proving ASS EZIDLANK ® purpositions.et voice billocations come at		
: -	Patient Prending Alia EZIDILANK [®] Para Insulations, or work for reduction comman.	:	

BACK



Installation Instructions



EZIBLANK® Installation, 6 x 1U Panel



Place the panel in the required position & align the clips with 19" mounting holes



Push the clips firmly into position on each side



Easy selection of individual panel combinations. Firmly bend along desired position...



...fold backward and "snap" off as required.



Insert the adjusted panel to fill the remaining open rack space.

Specifications

Part Numbers:

- 46-EZIBLANK 10 x 6U Panels, Black.
- 46-EZIBLANK-W 10 x 6U Panels, White.
- 46-EZIBLANK-GREY 10 x 6U Panels, Grey.

Physical:

- Dimensions: 270 x 483 x 12 (6RU Panel, in mm).
- Weight: 350g per panel or 3.5Kg per pack of 10.
- Shipping Dimensions: 500 x 300 x 100 (mm).
- Material: Impact resistant, water resistant, antistatic ABS plastic.
- Colours: Black, Grey & White.

Conformance:

- Standards: EIA-310-D.
- Environmental: RoHS.
- Toxicity: Non-toxic and resistant to chemicals.
- Flammability: Data Centre ready UL rated flame retardant ABS plastic.
- Recyclability: 100% recyclable and reusable.

Ver: EDPEZB0623.1